



# SAFETY DATA SHEET

## 1. Identification

<b>Product Identifier</b>	<b>Red Action</b>
<b>Other means of identification</b>	TMF-3420
<b>Product code</b>	
<b>Recommended use</b>	Red stain remover.
<b>Recommended restrictions</b>	Professional use only. Use as directed
<b>Manufacturer information</b>	
<b>Company name</b>	Truck Mount Forums
<b>Address</b>	5045 Admiral Wright Rd. Suite 109 Virginia Beach, VA 23462
<b>Telephone</b>	(800) 949-7726
<b>Emergency phone number</b>	PERS (800) 633-8253 24-hour Emergency (800) 633-8253

## 2. Hazard(s) Identification

<b>Physical hazards</b>	Flammable Liquids	Category 3
<b>Health hazards</b>	Acute toxicity, oral	Category 4
	Skin irritation	Category 2
	Serious eye damage	Category 1
	Aspiration hazard.	Category 1
<b>Environmental hazards</b>	Not classified.	
<b>OSHA defined hazards</b>	None.	
<b>Label elements</b>		



<b>Signal word</b>	<b>DANGER</b>
<b>Hazard statement</b>	Flammable liquid and vapor. May be harmful if swallowed. Causes skin irritation. Causes eye irritation. May be fatal if swallowed and enters airways.

<b>Precautionary statement</b>	
<b>Prevention</b>	Keep away from heat/sparks/open flames/ hot surfaces. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/eye protection/face protection. Wash hands and exposed skin thoroughly after handling.
<b>Response</b>	<b>IF ON SKIN</b> (or hair): Take off immediately all contaminated clothing. Wash with plenty soap and water. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction. Call a POISON CENTER/doctor/medical professional if you feel unwell. Specific treatment: See section 4 on the Safety Data Sheet). If skin irritation occurs, get medical advice/attention. Take off contaminated clothing and wash it before reuse. <b>IF IN EYES:</b> Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. <b>IF SWALLOWED:</b> Immediately call a POISON CENTER/doctor/medical professional. Do NOT Induce vomiting.



# SAFETY DATA SHEET

<b>Storage</b>	Store in a well-ventilated place. Keep cool. Store locked up.
<b>Disposal</b>	Dispose of contents/container in accordance with local/regional/national/international regulations.
<b>Hazard(s) not otherwise classified (HNOC)</b>	None.
<b>Supplemental information</b>	None.

## 3. Composition/information on ingredients

Mixture Component(s)		
Chemical name	CAS number	%
2-propanol	67-63-0	15-25
Sodium metabisulfite	7681-57-4	1-10
Aqua ammonia	1336-21-6	1-10
Other components below reportable levels		65-85

## 4. First-aid measures

<b>Inhalation</b>	Move to fresh air. Call a physician if symptoms develop or persist.
<b>Skin contact</b>	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
<b>Eye contact</b>	Rinse with water for at least 15 minutes. Remove contact lenses if present and easy to do so. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Rinse mouth. Get medical attention if symptoms occur. Only induce vomiting at the instruction of medical personnel.
<b>Most important symptoms/effects, acute and delayed</b>	Dermatitis. Rash. May cause an allergic skin reaction.
<b>Indication of immediate medical attention and special treatment needed</b>	Provide general support measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to the hospital. Keep victim under observation. Symptoms may be delayed.
<b>General information</b>	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

## 5. Fire-fighting measures

<b>Suitable extinguishing media</b>	Water fog. Foam. Carbon dioxide (CO <sub>2</sub> ). Dry chemical powder, sand, or earth may be used for small fires only.
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.
<b>Specific hazards arising from the chemical</b>	Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source or ignition and flash back. This product is a poor conductor of electricity and can become electrostatically charged. If sufficient charge is accumulated, ignition of flammable mixtures can occur. To reduce potential for static discharge, use proper bonding and grounding procedures. During fire, gases hazardous to health may be formed.
<b>Special protective equipment and precautions for firefighters</b>	Self-contained breathing apparatus and full protecting clothing must be worn in case of fire.
<b>Fire-fighting equipment/instructions</b>	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.
<b>Specific methods</b>	Use standard firefighting procedures and consider the hazards of other involved materials.
<b>General fire hazards</b>	Flammable liquid and vapor.



# SAFETY DATA SHEET

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors or mists. Ensure adequate ventilation. Remove all sources of ignition. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

### Methods and materials for containment and cleaning up

Eliminate all ignition sources. Use only non-sparking tools. Take precautionary measures against static discharge. Keep combustibles away from spilled material.

Large spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small spills: Absorb with earth, sand, or other non-combustible material and transfer to container for later disposal. Clean surface thoroughly to remove residual contamination.

Never return spills to original container for re-use. For waste disposal, see section 13 of the SDS.

### Environmental precautions

Avoid release to the open environment. Avoid discharge into surface waterways and other areas not consistent with package labeling.

## 7. Handling and storage

### Precautions for safe handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Do not smoke. Use explosion proof equipment and non-sparking tools. Take precautionary measures against static discharge. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

### Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. Ground/bond container and equipment. Store in original tightly closed container. Store away from incompatible materials (see section 10 of the SDS).

## 8. Exposure controls/personal protection

### Occupational exposure limits

#### US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
2-propanol	STEL	500 ppm 1,225 mg/m <sup>3</sup>
	TWA	400 ppm 980 mg/m <sup>3</sup>

#### US ACGIH Threshold Limit Values

Components	Type	Value
2-propanol	STEL	400 ppm
	TWA	200 ppm

### Biological limit values

#### ACGIH Biological Exposure Indices

Components	Value	Determinant	Species	Sampling Time
2-propanol	40 mg/L	Acetone	Urine	End of shift at end of workweek.



# SAFETY DATA SHEET

<b>Appropriate engineering controls</b>	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits.
<b>Individual protection measures, such as personal protective equipment</b>	
<b>Eye/face protection</b>	Avoid contact with eyes. Wear safety glasses with side shields (or goggles).
<b>Skin protection</b>	
<b>Hand protection</b>	Wear appropriate chemical resistant gloves. Nitrile and PVC rubber are recommended barrier materials
<b>Other</b>	Wear appropriate chemical resistant clothing. Use of a chemically-impervious apron is recommended.
<b>Respiratory protection</b>	In case of insufficient ventilation, wear suitable respiratory equipment.
<b>Thermal hazards</b>	Wear appropriate thermal protective clothing, when necessary.
<b>General hygiene considerations</b>	When using do not smoke or use chewing tobacco. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

## 9. Physical and chemical properties

<b>Appearance</b>	
<b>Physical State</b>	Liquid
<b>Color</b>	Colorless
<b>Odor</b>	Citrus
<b>Odor threshold</b>	Not available.
<b>pH</b>	7-9.
<b>Melting/freezing point</b>	22.5°F (-5.5°C) estimated.
<b>Initial boiling point and boiling range</b>	210°F (99°C) estimated.
<b>Flash point</b>	83.7°F (28.7 °C) (Literature-based estimation)
<b>Evaporation rate</b>	Not available.
<b>Flammability</b>	Not available.
<b>Flammability Limits</b>	
<b>Upper</b>	Not available.
<b>Lower</b>	Not available.
<b>Vapor pressure</b>	Not available.
<b>Vapor density</b>	Not available.
<b>Specific gravity (water=1)</b>	1.0
<b>Solubility in water</b>	Complete.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	Not available.

## 10. Stability and reactivity

<b>Reactivity</b>	This product is stable and non-reactive under normal conditions of use.
<b>Chemical stability</b>	Material is stable under normal conditions. Store in a cool dark place.
<b>Possibility of hazardous reactions</b>	Hazardous polymerization does not occur.



# SAFETY DATA SHEET

**Conditions to avoid** Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.

**Incompatible materials** Oxidizing agents, acids.

**Hazardous decomposition products** Carbon dioxide, carbon monoxide.

## 11. Toxicological information

### Information on likely routes of exposure

**Ingestion** Do not ingest. May be harmful if swallowed.

**Inhalation** Do not breathe vapors. May cause dizziness.

**Skin contact** Causes skin irritation.

**Eye contact** Causes serious eye damage. See Section 8 for personal protection.

**Symptoms related to the physical, chemical and toxicological characteristics** Dermatitis. Rash.

**Acute toxicity** May be harmful if swallowed.

Product Red Action (CAS mixture)		
	Route and Species	LD <sub>50</sub> /LC <sub>50</sub>
Acute	Oral, rat	3,525 mg/kg (estimated)
Acute	Dermal, rabbit	>2,800 mg/kg (estimated)

\*Estimates for product may be based on additional component data not shown

**Skin corrosion/irritation** Causes skin irritation.

**Serious eye damage/irritation** Causes serious eye damage.

**Respiratory sensitization** Not available.

**Skin sensitization** Not available.

**Germ cell mutagenicity** No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

**Carcinogenicity** This product is not expected to be carcinogenic.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)** Not Listed.

**Reproductive toxicity** This product is not expected to cause reproductive or developmental effects.

**Specific target organ toxicity – single exposure** Not classified.

**Specific target organ toxicity – repeated exposure** Not classified.

**Aspiration hazard** May be fatal if swallowed and is aspirated (enters) airways.

## 12. Ecological information

Ecotoxicity		
Product Red Action (CAS mixture)		
Aquatic	Species	Test Thresholds
Crustacea	Daphnia magna	EC <sub>50</sub> (48 hr): 265 estimated
Fish	Oncorhynchus mykiss	LC <sub>50</sub> (96 hr): 35 estimated

\*Estimates for product may be based on additional component data not shown

**Persistence and degradability** No data available. Chemicals of the described classes are not expected to accumulate in an open, oxic environmental compartment

**Bio-accumulative potential** Potential to bioaccumulation is expected to be low.



# SAFETY DATA SHEET

**Mobility in soil** No data available. Moderate mobility expected in semi-saturated soils  
**Other adverse effects** May be harmful to aquatic life under high-concentration or repeated exposure

## 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.  
**Local disposal regulations** Dispose in accordance with all applicable regulations  
**Hazardous waste code** The waste code should be assigned in discussion between the user, the producer and the waste disposal company.  
**Waste from residues/unused product** Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner. (see: Disposal instructions).  
**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may contain product residue, follow label warnings even after container is emptied.

## 14. Transport information

### DOT

**UN number** UN1993  
**UN proper shipping name** Flammable liquids, n.o.s. (Contains: Isopropanol)  
**Transport hazard class(es)**  
**Class** 3  
**Subsidiary risk** -  
**Packaging group** III  
**Special precautions for user** Read safety instructions, SDS, and emergency procedures before handling.  
**Marine pollutant** No  
**Special precautions for user**  
**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** This product is not intended to be transported in bulk.  
**DOT Label/Placard**



## 15. Regulatory information

**US federal regulations**  
**SARA 302 Extremely hazardous substance** Not listed.  
**SARA 304 Emergency release notification** Not listed.  
**SARA 311/312 Hazard Categories**



# SAFETY DATA SHEET

Immediate Hazard - Yes  
Delayed Hazard – No  
Fire Hazard – Yes  
Pressure Hazard – No  
Reactivity Hazard – No

### SARA 313 (TRI reporting)

Not listed.

### California Proposition 65

#### California Safe Drinking Water and Toxic Enforcement Act of 1986

This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California Proposition 65 at levels which would be subject to threshold determination and Safe Harbor notification (1/2019)

## 16. Other information, including date of preparation or last revision

Issue date 5/29/2019  
Revision date  
Version # 1  
HMIS® ratings Health: 2  
Flammability: 2  
Physical hazard: 0



NFPA ratings Health: 2  
Flammability: 2  
Instability: 0



### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified by the text.

### Revision information

First Issue